

Build to pick-up combustible/flammable dust in ATEX Zone 22

The ATTIX 995 H/M TYPE 22 is a powerful two-motor vacuum cleaner approved to be used for both M- and H-Class dust and ATEX Zone 22 environments. Featuring XtremeClean automatic filter cleaning and a stainless steel SitDown container. The build-in FlowSensor and acoustic warning signal monitors air speed in the suction hose to make sure that it does go below the minimum 20 m/s. The perfect concept for Industrial use where safety is a must.

Legislation (IEC/EN 60335-2-69) has placed some very tight restrictions on handling hazardous dust. The ATTIX 995 H/M TYPE 22 vacuum cleaner fullfills all demands at the highest level of safety to ensure maximum health protection. The wet&dry vacuum cleaner controls H-, M-Class, as well as explosive dust. The use of EC technology meaning 2 single-phase brushless motors and the complete conductivity makes this machine applicable in ATEX Zone 22 environments. By choosing the correct electrically conductive and grounded inlet in combination with the Type 22 accessories the vacuum cleaner allows you to work with a safe and spark free solution.


The stainless steel SitDown container is robust and makes disposal possible without removing the motorhead, and the included disposal bag and safety filterbag enables safe dustfree working and disposal. On top of the motorhead you will find a big tool deposit and room to store your accessories. The perfect industrial solution for health endangerous, carcinogenic and combustable/flammable dusts.



Picture shown may not represent model quoted

- Approved for cleaning and dust extraction in ATEX Zone 22 enviroments with explosive dust
- Dual brushless long life EC motors for ignition-source-free performance
- High quality stainless steel container with steel chassis
- Big surface H-Class filter for high efficiency and low maintenance costs
- A full range of Type 22 accessories is available to tailor your machine to your application

• Standard equipment

Included accessories	Ref. no.	Min. required	ATTIX 995-0H/ M SD XC TYPE 22 230/1/50 EU
Filter			
 FILTER ELEMENT D275X187 H-CLASS	107400564	0	•
Special Filter			
MOTOR COOLING AIR FILTER ATTIX9/IVB9	107400041	0	•

Model ATTIX 995-0H/M SD
XC TYPE 22
230/1/50 EU

Ref. no. 302002904

PRODUCT FEATURES

- Softstart
- Airflow sensor
- Anti-static system
- Robust steel chassis



Build to pick-up combustible/flammable dust in ATEX Zone 22



Model	ATTIX 995-0H/M SD XC TYPE 22 230/1/50 EU
Ref. no.	302002904

PRODUCT FEATURES

Brushless longlife 1-ph. motor	•
M-class hazardous dust approval	•
H-class hazardous dust approval	•
ATEX hazardous TYPE 22 approval	•
Release container system	•
Disposal bag 1 pcs	•
Safety filter bag 1 pcs	•









Technical specifications	ATTIX 995-0H/M SD XC TYPE 22 230/1/50 EU
Power Pmax (W)	2 x 1400
Power Piec (W)	2 x 1100
Mains connection (V/~ /Hz/A)	230/1/50-60/16
Airflow rate (l/min.)	2 x 3200
Vacuum (mbar/kPa)	230/23
Working sound level (dB(A))	67
El cable (m)	10
Container volume (l-max)	50
Filter cleaning system	XtremeClean
Main filter type	H-class
Length x width x height (mm)	615x690x990
Weight (kg)	45

• Standard equipment, ◊ Supplementary accessories, □ Mountable equipment

Accessories	Ref. no.	Min. required	ATTIX 995-0H/M SD XC TYPE 22 230/1/50 EU
Filter			
 FILTER ELEMENT D275X187 H-CLASS	107400564	0	•
System TYPE 22 (ATEX) Tube/Nozzle			
 BRUSH NOZZLE TYPE22 Ø36X230MM PE	44191	0	◊
COARSE DIRT NOZZLE TYPE22 Ø50x200MM ALU	42835	0	◊





Build to pick-up combustible/flammable dust in ATEX Zone 22

Accessories		Ref. no.	Min. required	ATTIX 995-0H/ M SD XC TYPE 22 230/1/50 EU
	CREVICE NOZZLE TYPE 22 Ø36 L290MM PLAST	44192	0	○
	CREVICE NOZZLE TYPE22 Ø50X350 PE	42837	0	○
	CURVED EXTENSION TUBE TYPE22 Ø50x1100 S	33609	0	○
	CURVED HAND TUBE TYPE22 Ø36MM SS	44188	0	○
	DIAGONAL TUBE NOZZLE TYPE22 Ø36 RUBBER	302000227	0	○
	DIAGONAL TUBE NOZZLE TYPE22 Ø50 RUBBER	42836	0	○
	EXTENSION TUBE TYPE22 Ø36X950MM SS	46982	0	○
	FLAT NOZZLE TYPE22 Ø50MM RUBBER	42839	0	○
	FLOOR NOZZLE TYPE22 Ø36X450MM	302000369	0	○
	FLOOR NOZZLE TYPE22 Ø 50X500MM	42834	0	○
	PIPE CLEAN NOZZLE TYPE22 Ø36 R70-120MM	48066	0	○
	PIPE CLEAN NOZZLE TYPE22 Ø36 R120-200MM	48067	0	○
	ROUND BRUSH NOZZLE TYPE22 Ø 50MM	42831	0	○
Disposal Bag				
	DISPOSAL BAG ATTIX 7 5 PCS	302001480	0	○
System TYPE 22 (ATEX) Hose Vacuum Cleaner				
	HOSE Ø36X4000MM W COUPLING TYPE 22	44193	0	○
	HOSE Ø50X4000MM CHIP TYPE 22	42825	0	○
	HOSE Ø50X4000MM CONDUCTIVE TYPE 22	43245	0	○
43245	HOSE Ø50X8000MM CHIP TYPE 22	63710	0	○



Build to pick-up combustible/flammable dust in ATEX Zone 22

Accessories		Ref. no.	Min. required	ATTIX 995-0H/ M SD XC TYPE 22 230/1/50 EU
Vacuum Accessory Set				
	TYPE 22 VACUUM SET Ø36MM 6-PCS	48907	0	○
Special Filter				
	MOTOR COOLING AIR FILTER ATTIX9/IVB9	107400041	0	●
Safety Filter Bag				
	SAFETY FILTER BAG H ATTIX 9. 5 PCS	302003473	0	○
Other				
	FORKLIFT ACCESSORY	302002622	0	○
Exhaust Air Collector				
	EXHAUST FITTING KIT D50 ATTIX 9	107409036	0	○