

The fastest way to collect trims in 1,1 kW and 114 liters container

Industrial vacuum for the collection of plastic, paper or textile trims. Its suction power, its features and its size make it the right vacuum to operate in packaging areas.

Model R 154 is equipped with a 1,1 kW threephase motor and a 114 liters container. It mounts a nylon filter, however specific filters for dust extraction are available. The threephase suction unit is placed under the container, the liner is spread out and completely open and all product vacuumed in is neatly compacted on the bottom, optimizing the container capacity.

- Small
- No maintenance needed
- Silent
- Easy and quick disposal of waste material
- High capacity
- Quick visual level control: plexiglass port-hole in the lid
- Specific liner filter for fine dust available
- Stainless steel version



Picture shown may not represent model quoted

• Standard equipment

• Standard equipment

Model	R154 V	R154 X	R154 V 5PP
Ref. no.	4031600015	4031600023	4031600077

PRODUCT FEATURES

Filter bag	•	•	•
Stainless steel filter chamber		•	
Switch motor protector	•	•	•
5 pin plug			•
Inspection window	•	•	•
Silencer			
N°2 inlets			

Model	R154 X 5PP	R154 V 2ID50 5PP	R154 V S 5PP
Ref. no.	4031600078	4031600100	4031600103

PRODUCT FEATURES

Filter bag	•	•	•
Stainless steel filter chamber	•		
Switch motor protector	•	•	•
5 pin plug	•	•	•
Inspection window	•	•	•



The fastest way to collect trims in 1,1 kW and 114 liters container

Model	R154 X 5PP	R154 V 2ID50 5PP	R154 V S 5PP
Ref. no.	4031600078	4031600100	4031600103

PRODUCT FEATURES

Silencer			•
N°2 inlets		•	












Technical specifications	R154 V	R154 X	R154 V 5PP
Voltage (V)	400	400	400
Frequency (Hz)	50	50	50
IP protection class	55	55	55
Insulation class	F	F	F
Rated power (kW)	1.1	1.1	1.1
Airflow without hose (m³/h - l/m)	156 - 2600	156 - 2600	156 - 2600
Max. vacuum (kPa - mbar)	21 - 210	21 - 210	21 - 210
Sound pressure level (dB(A))	72	72	72
Container capacity (l)	114	114	114
Main filter type	NYLON MOD.R460	NYLON MOD.R460	NYLON MOD.R460
Main filter area (cm²)	11.500	11.500	11.500
Inlet (mm)	50	50	50
Length x width x height (mm)	560x560x1200	560x560x1200	560x560x1200
Weight (kg)	40	40	40

Technical specifications	R154 X 5PP	R154 V 2ID50 5PP	R154 V S 5PP
Voltage (V)	400	400	400
Frequency (Hz)	50	50	50
IP protection class	55	55	55
Insulation class	F	F	F
Rated power (kW)	1.1	1.1	1.1
Airflow without hose (m³/h - l/m)	156 - 2600	156 - 2600	156 - 2600
Max. vacuum (kPa - mbar)	21 - 210	21 - 210	21 - 210
Sound pressure level (dB(A))	72	72	72
Container capacity (l)	114	114	114
Main filter type	NYLON MOD.R460	NYLON MOD.R460	NYLON MOD.R460
Main filter area (cm²)	11.500	11.500	11.500
Inlet (mm)	50	50	50
Length x width x height (mm)	560x560x1200	560x560x1200	560x560x1200
Weight (kg)	40	40	40













The fastest way to collect trims in 1,1 kW and 114 liters container

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment












Accessories	Ref. no.	Min. required	R154 V	R154 X	R154 V 5PP	
Hose Vacuum Cleaner						
	50MM ANTI STATIC CUFF	Z7 20325	1	○	○	○
	ANT.POL BLACK HOSE D50 MT3+SLEEVES	Z7 22369	1	○	○	○
	ANT.POL BLACK HOSE D50 MT5+SLEEVES	Z7 22372	1	○	○	○
	ANT.POL BLACK HOSE D50 MT15+SLEEVES	4072200478	1	○	○	○
	FLEX CONDUCTIVE HOSE D50 MT3+ SLEEVES	Z7 22375	1	○	○	○
	FLEX CONDUCTIVE HOSE D50 MT5+ SLEEVES	Z7 22377	1	○	○	○
	FLEX CONDUCTIVE HOSE D50 MT15+ SLEEVES	4072200481	1	○	○	○
	FLOWING PTFE SLEEVE D50	Z7 20326	1	○	○	○
	HANK CONDUCTIVE FLEX HOSE D50 MT.30	4072400234	1	○	○	○
	HOSE FDA D40 3M + SLEEVES	4072400334	1	○	○	○
	HOSE FDA D40 5M + SLEEVES	4072400336	1	○	○	○

The fastest way to collect trims in 1,1 kW and 114 liters container











	Accessories	Ref. no.	Min. required	R154 V	R154 X	R154 V 5PP
	HOSE FDA D40 10M + SLEEVES	4072400338	1	○	○	○
	HOSE FDA D50 3M + SLEEVES	4072400335	1	○	○	○
	HOSE FDA D50 5M + SLEEVES	4072400337	1	○	○	○
	HOSE FDA D50 10M + SLEEVES	4072400339	1	○	○	○
	POL HOSE D50 MT5+SLEEVES	Z7 22366	1	○	○	○
	POL HOSE D50 MT15+SLEEVES	4072200475	1	○	○	○
	SLEEVE D50 PVC	Z7 23023	1	○	○	○
	SLEEVE D50 RUBBER	Z7 20002	1	○	○	○
	SLEEVE D50ANTISTAT.RUBBER COMPONENT ATEX	40000219	1	○	○	○
	TUBE D50 POLYURETHAN MT3+SLEEV	Z7 22298	1	○	○	○
Hose and Connection						
	SLEEVE FOR ANTISTATIC HOSE FDA D40	4072000358	1	○	○	○
	SLEEVE FOR ANTISTATIC HOSE FDA D50	4072000359	1	○	○	○

The fastest way to collect trims in 1,1 kW and 114 liters container

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories	Ref. no.	Min. required	R154 X 5PP	R154 V 2ID50 5PP	R154 V S 5PP	
Hose Vacuum Cleaner						
	50MM ANTI STATIC CUFF	Z7 20325	1	○	○	○
	ANT.POL BLACK HOSE D50 MT3+SLEEVES	Z7 22369	1	○	○	○
	ANT.POL BLACK HOSE D50 MT5+SLEEVES	Z7 22372	1	○	○	○
	ANT.POL BLACK HOSE D50 MT15+SLEEVES	4072200478	1	○	○	○
	FLEX CONDUCTIVE HOSE D50 MT3+ SLEEVES	Z7 22375	1	○	○	○
	FLEX CONDUCTIVE HOSE D50 MT5+ SLEEVES	Z7 22377	1	○	○	○
	FLEX CONDUCTIVE HOSE D50 MT15+ SLEEVES	4072200481	1	○	○	○
	FLOWING PTFE SLEEVE D50	Z7 20326	1	○	○	○
	HANK CONDUCTIVE FLEX HOSE D50 MT.30	4072400234	1	○	○	○
	HOSE FDA D40 3M + SLEEVES	4072400334	1		○	
	HOSE FDA D40 5M + SLEEVES	4072400336	1		○	

The fastest way to collect trims in 1,1 kW and 114 liters container

	Accessories	Ref. no.	Min. required	R154 X 5PP	R154 V 2ID50 5PP	R154 V S 5PP
	HOSE FDA D40 10M + SLEEVES	4072400338	1		○	
	HOSE FDA D50 3M + SLEEVES	4072400335	1		○	
	HOSE FDA D50 5M + SLEEVES	4072400337	1		○	
	HOSE FDA D50 10M + SLEEVES	4072400339	1		○	
	POL HOSE D50 MT5+SLEEVES	Z7 22366	1	○	○	○
	POL HOSE D50 MT15+SLEEVES	4072200475	1	○	○	○
	SLEEVE D50 PVC	Z7 23023	1	○	○	○
	SLEEVE D50 RUBBER	Z7 20002	1	○	○	○
	SLEEVE D50ANTISTAT.RUBBER COMPONENT ATEX	40000219	1	○	○	○
	TUBE D50 POLYURETHAN MT3+SLEEV	Z7 22298	1	○	○	○
Hose and Connection						
	SLEEVE FOR ANTISTATIC HOSE FDA D40	4072000358	1		○	
	SLEEVE FOR ANTISTATIC HOSE FDA D50	4072000359	1		○	